altavista Web   Images   MP3/Audio   Video   Directory   News

Advanced Web Search

Search with...

this boolean expression
```
fifo near (undo or cancel*) and
push and pop
```

Basic Search

Use <u>terms</u> such as AND, OR, AND NOT, NEAR

Pages with these words will be ranked highest.

sorted by

SEARCH: ● Worldwide ○ U.S.   **RESULTS IN:** ○ All languages ● <u>English, Spanish</u>

AltaVista found 5 results <u>About</u>

SMSJDK - SMS Toolkit API from NCL : Class **Fifo**
... to **push** and **pop** (arbitrary type) objects onto and off from the **FIFO**. The ... the
Fifo buffer. void **push**(java.lang ... in the **FIFO**. **undo** public java.lang.Object **undo**()
Undo the last **push**. **push** ...
www.noctor.com/doc/api/ie/ncl/util/Fifo.html

SMSJDK - SMS Toolkit API from NCL : Class FiniteFifo
... to **push** and **pop** (arbitrary type) objects onto and off from the **FIFO**. The ...
util.**Fifo** expedite, getObjects, peek, size, **undo** Methods ... **Fifo.push**
(java.lang.Object), **Fifo**.peek() **pop** public ...
www.noctor.com/doc/api/ie/ncl/util/FiniteFifo.html

SGQueue.hxx Source File
... > g(mutex); 00099 **fifo.push**(item); 00100 } 00101 00107 virtual T **pop**()
{ 00108 ... pthread_exit(PTHREAD_**CANCELED**); 00115 // } 00116 T item =
fifo.front ... > g(mutex); 00166 **fifo.push**(item ...
·mail.flightgear.org/simgear/doxygen/SGQu...hxx-source.html

Intro(3pthread)
... pthread_cleanup_**push** and pthread_cleanup_**pop** to place ... cleanup_**pop**()
pthread_cleanup_**push**() pthread_cond_broadcast ... classes SCHED_**FIFO** and
SCHED_RR only the **cancellation** points listed above ...
uw713doc.caldera.com/en/man/html.3pthrea...o.3pthread.html

D1.1
File type:PDF – <u>Download PDF Reader</u>
... available leafs qdiscs are: • **FIFO** a simple **FIFO** (it is ... A thread can install
cancellation cleanup handlers: pthread_cleanup_**push**() and
pthread_cleanup_**pop**(). The cleanup handlers are ...
canals.disca.upv.es/webs/ocera/archive/d...h6/WP1/D1.1.pdf

Extend Your Search <u>About</u>

Search the Yellow Pages for <u>fifo "near" undo "or" "and"...</u> with SMARTpages.com
Search the <u>White Pages Directory</u> on SMARTpages.com

FifoBase
... Public Methods virtual ~FifoBase() Delete the **fifo** void add(const Msg &) Add a ...
cancel an event. FifoBase() Create an empty **fifo** virtual ~FifoBase() Delete the **fifo**
void add(const Msg &) Add a ...
www.vovida.org/document/doc++/util_doc++/FifoBase.html

4.3.2 Introducción del FIFO por pantalla
4.3.2 Introducción del **FIFO** por pantalla ... bw->open_dialog_window), "Insert
FIFO", "Dillo", "Dillo: Insert **FIFO** ... if (text && *text) printf("New **FIFO**: %s ",text); if
(existe_fifo){ g ...
gsyc.escet.urjc.es/~mhernand/documentos/ipaq/node24.html • Translate

SMSJDK - SMS Toolkit API from NCL : Class FiniteFifo
... class ie.ncl.util.**Fifo** expedite, getObjects, peek, size, **undo** Methods inherited
from ... to be pushed See Also: **Fifo**.pop(long), **Fifo**.peek ... is empty See Also:
Fifo.push(java.lang.Object ...
www.noctor.com/doc/api/ie/ncl/util/FiniteFifo.html

Extend Your Search About

Search the Yellow Pages for **fifo "near" undo "or"** with SMARTpages.com
Search the **White Pages Directory** on SMARTpages.com

Result Pages: 1 2 3 4 5 6 7 8 9 10 Next >>

Advanced Web Search   Help

⊙ **Build a query with...**

all of these words   [   ]   [⬛⬛⬛] Basic Search

this exact phrase   [   ]

any of these words   [   ]

and none of these words   [   ]

◉ **Search with...**

this boolean expression   ┌─────────────────────────────────┐
                            │ fifo near (undo or cancel*)   ⬛ │
                            │   │
                            │   │
                            │   ⬛ │   Use terms such as AND, OR,
                            └─────────────────────────────────┘   AND NOT, NEAR

sorted by   [   ]   Pages with these words
                                                                      will be ranked highest.

SEARCH: ◉ Worldwide ○ U.S.   **RESULTS IN:** ○ All languages ◉ English, Spanish

Date: ◉ by timeframe: [Anytime ▾]

                       ○ by date range: [   ] to [   ] (dd/mm/yy)

File type:

All file types ▾

Location: ⦿ by domain: [_____] <u>Domain/Country Code Index</u>

                    ○ only this host or URL: http:// [_____]

Display: ☐ site collapse (on/off)   <u>What is this?</u>

                   10 ▾ results per page

            [▓▓▓▓▓▓▓]   [Clear Settings]

Try your search on <u>Lycos</u>

Get the **AltaVista Toolbar**.

[altavista ▾ [_____] ▾ | 🔍 Search the Web ▾ | 🔄 Translate ▾]

altavista

Business Services   **Submit a Site**   **About AltaVista**   **Help**

© 2003 AltaVista

altavista·   **Web**   Images   MP3/Audio   Video   Directory   News   Family Filter: **off**   Settings

Advanced Web Search
Search with...

this boolean expression

```
fifo near undo near push
```

sorted by

FIND   Basic Search

Use <u>terms</u> such as AND, OR,
AND NOT, NEAR

Pages with these words
will be ranked highest.

SEARCH: ◉ Worldwide ○ U.S.   **RESULTS IN:** ○ All languages ◉ English, Spanish

AltaVista found 1 result About

SMSJDK - SMS Toolkit API from NCL : Class Fifo
... in the **FIFO**. java.lang.Object **undo() Undo** the last **push**. Methods inherited ... of elements in the
FIFO. **undo** public java.lang.Object **undo() Undo** the last **push**. **push** public void **push**(java.lang ...
www.noctor.com/doc/api/ie/ncl/util/Fifo.html

Extend Your Search About

Search the Yellow Pages for **fifo "near" undo push** with SMARTpages.com

Search the **White Pages Directory** on SMARTpages.com

Advanced Web Search   Help

○ **Build a query with...**

all of these words

this exact phrase

FIND   Basic Search

any of these words

and none of these words

⦿ **Search with...**

this boolean expression

```
fifo near undo near push
```

Use terms such as AND, OR,
AND NOT, NEAR

sorted by

Pages with these words
will be ranked highest.

SEARCH: ⦿ Worldwide ○ U.S.   **RESULTS IN:** ○ All languages ⦿ English, Spanish

Date: ⦿ by timeframe: `Anytime`

○ by date range: _____ to _____ (dd/mm/yy)

File type: `All file types`

Location: ⦿ by domain: _____ Domain/Country Code Index

○ only this host or URL: http:// _____

Display: ☑ site collapse (on/off)   What is this?

`10` results per page

FIND   **Clear Settings**

Try your search on Lycos

Get the AltaVista Toolbar.

| altavista ▾ | _____ ▾ | 🌐 Search the Web ▾ | 🌐 Translate ▾ |

altavista

Business Services   Submit a Site   About AltaVista   Help

Advanced Web Search

○ **Build a query with...**

all of these words

[   ]

this exact phrase

[   ]

any of these words

[   ]

and none of these words

[   ]

[▓▓▓▓▓▓▓▓] **Basic Search**

◉ **Search with...**

this boolean expression

```
fifo near (undo or cancel*) and
push and pop
```

Use terms such as AND, OR,
AND NOT, NEAR

sorted by

[   ]

Pages with these words
will be ranked highest.

SEARCH: ◉ Worldwide ○ U.S.   **RESULTS IN:** ○ All languages ◉ English, Spanish

Date: ◉ by timeframe: [Anytime ▾]

              ○ by date range: [   ] to [   ] (dd/mm/yy)

File type: [All file types ▾]

Location: ◉ by domain: [   ] Domain/Country Code Index

              ○ only this host or URL: http:// [   ]

Display: ☐ site collapse (on/off) What is this?

              [10 ▾] results per page

[▓▓▓▓▓▓▓▓]   [Clear Settings]

Try your search on Lycos

Get the **AltaVista Toolbar**.

[altavista ▾ | ▾ | ⊕Search the Web ▾ | ⊗Translate ▾]

altavista

Google™

"from" is a very common word and was not included in your search. [details]

Web · Images · Groups · Directory· News ·

Searched the web for **undo push from stack**.   Results **1 - 10** of about **21,300**. Search took **0.33** seconds.

[PS] 1 MASSACHVSETTS INSTITVTE OF TECHNOLOGY Department of Electrical ...
File Format: Adobe PostScript - View as Text
... (define (create-var value). (let ((**undo** (create-**stack**)). (redo (create-**stack**)))
(ask **undo** '**push** value) (lambda (message). (case message. ((SET!). (lambda (self new). ...
www.ai.mit.edu/people/leventon/6001/ 99Spring/Notes/r16-w/r16-w.ps - Similar pages

> Untitled
> ... Complete the code for create-var, below: (define (create-var value) (define **undo**
> (create-**stack**)) (ask **undo** '**push** value) (lambda (message) (case message ((SET ...
> www.ai.mit.edu/people/leventon/6001/98Spring/r17/ - 10k - Cached - Similar pages
> [More results from www.ai.mit.edu]

//package TableauPkg; import java.awt.*; import java.awt.event.* ...
... void change() { /* **Stack** tmp = new **Stack**(); // everything that's ... while (!redo.empty())
{ tmp.**push**( ); // and in ... pop(); while (!tmp.empty()) **undo.push**(tmp.pop ...
www.student.cs.uwaterloo.ca/~jdcormie/ pivotcode/TableauPivotPanel.java - 8k - Cached - Similar pages

6.001 Recitation 14
... **undo-stack** (make-**stack**))) ; could have used define instead (lambda (message) (case
message ((SET!) (lambda (self new-value) (ask **undo-stack** '**push** value) (set! ...
graphics.lcs.mit.edu/~rcm/6001/rec14-solns.html - 12k - Cached - Similar pages

> 6.001 Recitation 14
> ... PUSH) ((POP) ((PEEK) ((CLEAR))))),define s (make-**stack**)) (ask s ... **push** 3) (ask s 'pop)
> ==> 3 (ask s '**push** 1) (ask ... that we have in scheme, we also want an **undo**! ...
> graphics.lcs.mit.edu/~rcm/6001/rec14.html - 9k - Cached - Similar pages

;;; **undo-stack**.el –- An "undoable **stack**" object.
... is undefined. (trunc-**stack-push** (undoable-**stack**-a **stack**) (trunc-**stack**-pop
(undoable-**stack**-b **stack**)))) ; **undo-stack**.el ends here
www.mit.edu/afs/athena/contrib/xemacs/ lib/xemacs-21.1.4/lisp/undo-stack.el - 10k - Cached - Similar pages

<html> <head> </head><body><pre> ******* NAC ******* Programmer& ...
... left-shifted by X bits in Z, pop the **stack** twice CLR clear X STO store X to register
0 - F RCL **push** the **stack**, recall X from register 0 - F UND **undo** last **stack** ...
www.hpmuseum.org/simulate/16cnac/readme.txt - 6k - Cached - Similar pages

The **undo stack** does not record some changes in layer attributes
... an old problem with these scripts: some operations on > the layers are not recorded
on the **undo stack**. ... If you dirty the image, you must **push** an **undo** due to ...
lists.xcf.berkeley.edu/lists/gimp-developer/ 2000-June/002923.html - 4k - Cached - Similar pages

<html> <head> </head><body><pre><html> <head> </ ...
... **undo**-ing back before a saved version, then mutating the image (thus destroying the
redo **stack**). ... If your code has just dirtied the image, **push** an **undo** instead ...
wingimp.hp.infoseek.co.jp/gimp/docs/undo.txt - 5k - Cached - Similar pages

Undo Management
... you add directly to the **undo stack** (described in ... 0); Widget label = XmCreateLabel(rc,
"an **undo** test", NULL ... 0); Widget pb = XmCreatePushButton(rc, "**push**", NULL, 0 ...

Gooooooooogle ▶

Result Page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

| undo push from stack | | Google Search | <u>Search within results</u> |

Dissatisfied with your search results? <u>Help us improve.</u>

Get the <u>Google Toolbar</u>: | Google ▾ [▾] | 🔍 Search Web ▾ | 🎲 | PageRank 🖥6 blocked | 🗐 AutoFill | 🔘 |

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

Google™

| undo push from stack | | Google Search |

"from" is a very common word and was not included in your search. [details]

Web · Images · Groups · Directory · News ·
Searched the web for **undo push from stack**.   Results **51 - 60** of about **21,300**. Search took **0.20** seconds.

UndoManager (Fopps)
... static java.util.**Stack**, getUndoStack() Returns a copy the current contents of
the **undo stack**. static boolean, isStarted(). static void, **push**(java.lang.Object ...
fopps.sourceforge.net/api/org/ fopps/share/UndoManager.html - 26k - Cached - Similar pages

Info: (zsh) Miscellaneous
... vi-**undo**-change' (unbound) (u) (unbound) **Undo** the last ... which-command' (ESC-?) (unbound)
(unbound) **Push** the buffer onto the buffer **stack**, and execute ...
www.nmt.edu/tcc/swinv/zsh/3.1.5/ info/(zsh)Miscellaneous.html - 8k - Cached - Similar pages

Tom's Java Exercises: Class Hanoi1.MovementStack
... void, **push**(Hanoi1.MovementItem item) Adds an Item to the **stack**. void, step(Hanoi1.Tower
from, Hanoi1.Tower to) Stores moving one disk. void, **undo**() Performs an ...
wanda.fh-aargau.ch/i/ia02gers/java1/ doc/Hanoi1.MovementStack.html - 11k - Cached - Similar pages

module Main where import IO import Stacks import States import ...
... sa) a) pushS x = command (**push** x) x -- where **push** is the **Stack** operation yes ... let
(State s) = do command ((+1):) () command ((*3):) () **undo**'() return "Done ...
www.dcs.shef.ac.uk/~matt/teaching/ 03/com2020/code/Monads/Main.hs - 9k - Cached - Similar pages

Patch to implement #pragma pack(**push**,<n>) for i386
... ignores alignments > 4. */ + maximum_field_alignment = 0; + } + else + alignment_stack->num_pushes
++; + } **Undo** a **push** of an alignment onto the **stack**. ...
gcc.gnu.org/ml/gcc-patches/1998-09/msg00152.html - 12k - Cached - Similar pages
[More results from gcc.gnu.org]

Geocrawler.com - mozilla-editor - Questions regarding Transaction ...
... When undoing, pop the top transaction from the **Undo stack**, do **undo** action then **push**
the transaction to the Redo **stack**. Why flush out the Redo **stack** ...
www.geocrawler.com/archives/3/140/1999/5/0/2166182/ - 15k - Cached - Similar pages
[More results from www.geocrawler.com]

[PDF] Microsoft PowerPoint - Retrospective on Prehofer s.ppt
File Format: PDF/Adobe Acrobat - View as HTML
... S = { **Stack**, Counter, Lock, Bound, **Undo** ...} Look at ... implemented in AHEAD 5 MyClass1
= **Stack** class StackOfChar ... void empty() { s = ""; } void **push**(char a ...
www.cs.utexas.edu/users/dsb/AHEAD-F03/prehofer.pdf - Oct 28, 2003 - Similar pages

CS227 handout #10
... popped value to the top of the **stack** { if (!myUndoOK) throw new RuntimeException("Attempt
to **undo** pop not preceded by pop"); **push**(myLastPop); } private boolean ...
www.cs.arizona.edu/classes/cs330/spr99/10.html - 5k - Cached - Similar pages

[PDF] Turtle-Geometrie Rekursion **Stack**
File Format: PDF/Adobe Acrobat - View as HTML
... Command { private **Stack** commands; public Sequence() {commands = new **Stack**();} public
void add(Command c) {commands.**push**(c);} public void **undo**() {if (!commands ...
www.ifi.unizh.ch/study/Vorlesungen/eprog/k11.pdf - Similar pages

[PDF] Stacks Outline and Reading Abstract Data Types (ADTs) The **Stack** ...

File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
... loaded plate dispenser Main **stack** operations: ¢ **push**(object): inserts ... of pop or top
on an empty **stack** throws an ... history in a Web browser ¢ **Undo** sequence in a ...
java.datastructures.net/presentations/Stacks.pdf - <u>Similar pages</u>

| undo push from stack | Google Search | <u>Search within results</u>

Google Home - Advertise with Us - Business Solutions - Services & Tools - Jobs, Press, & Help

©2003 Google